

FOLFOX6+Bev	1クール			
	Day1	Day2	Day3	Day14
BV(5mg or 10mg/kg) L-OHP(85mg/m <sup>2</sup> ) ℓ-LV(200mg/m <sup>2</sup> ) 5-FU(400mg/m <sup>2</sup> ) 5-FU(2400mg/m <sup>2</sup> )	● ● ● ●			
	●(46時間持続投与)			

mFOLFOX6+Cmab	1クール				
	Day1	Day2	Day3	Day8	Day14
Cmab 初回400mg/m <sup>2</sup> 2回目以降250mg/m <sup>2</sup>	●			●	
L-OHP(85mg/m <sup>2</sup> ) ℓ-LV(200mg/m <sup>2</sup> ) 5-FU(400mg/m <sup>2</sup> ) 5-FU(2400mg/m <sup>2</sup> )	● ● ●				
	●(46時間持続投与)				

CapeOX±Bev	1クール	
	Day1	Day21
Bev(7.5mg/kg) L-OHP(130mg/m <sup>2</sup> )	● ●	
Capecitabine (体表面積) 1.36m <sup>2</sup> 未満 1.36m <sup>2</sup> 以上～1.66 m <sup>2</sup> 未満 1.66m <sup>2</sup> 以上～1.96m <sup>2</sup> 未満 1.96m <sup>2</sup> 以上	1日2回朝夕食後 Day1～Day14 : 1200mg/回 : 1500mg/回 : 1800mg/回 : 2100mg/回	

SOX±Bev	1クール	
	Day1	Day21
Bev(7.5mg/kg) L-OHP(130mg/m <sup>2</sup> )	● ●	
S-1 (体表面積) 1.25m <sup>2</sup> 未満 1.25m <sup>2</sup> 以上～1.5m <sup>2</sup> 未満 1.5m <sup>2</sup> 以上	1日2回朝夕食後 Day1～Day14 : 40mg/回 : 50mg/回 : 60mg/回	

FOLFIRI±Bev	1クール			
	Day1	Day2	Day3	Day14
Bev(5mg or 10mg/kg) CPT-11(150mg/m <sup>2</sup> ) ℓ-LV(200mg/m <sup>2</sup> ) 5-FU(400mg/m <sup>2</sup> ) 5-FU(2400mg/m <sup>2</sup> )	● ● ● ●			
	●(46時間持続投与)			

FOLFIRI±Cmab	1クール				
	Day1	Day2	Day3	Day8	Day14
Cmab 初回400mg/m <sup>2</sup> 2回目以降250mg/m <sup>2</sup>	●			●	
CPT-11(150mg/m <sup>2</sup> ) ℓ-LV(200mg/m <sup>2</sup> ) 5-FU(400mg/m <sup>2</sup> ) 5-FU(2400mg/m <sup>2</sup> )	● ● ●				
	●(46時間持続投与)				

Cmab	1クール	
	Day1	Day7
Cmab 初回400mg/m <sup>2</sup> 2回目以降250mg/m <sup>2</sup>	●	

Pmab	1クール	
	Day1	Day14
Pmab 6mg/kg	●	

mFOLFOX6±Pmab	1クール			
	Day1	Day2	Day3	Day14
Pmab(6mg/kg)	●			
L-OHP(85mg/m <sup>2</sup> )	●			
ℓ-LV(200mg/m <sup>2</sup> )	●			
5-FU(400mg/m <sup>2</sup> )	●			
5-FU(2400mg/m <sup>2</sup> )	●(46時間持続投与)			

FOLFIRI±Pamb	1クール			
	Day1	Day2	Day3	Day14
Pmab(6mg/kg)	●			
CPT-11(150mg/m <sup>2</sup> )	●			
ℓ-LV(200mg/m <sup>2</sup> )	●			
5-FU(400mg/m <sup>2</sup> )	●			
5-FU(2400mg/m <sup>2</sup> )	●(46時間持続投与)			

Nivolumab+ipilimumab	1クール	
	Day1	Day21
Nivolumab(240mg/body)	●	
Ipilimumab(1mg/kg)	●	

FOLFOXIRI	1クール			
	Day1	Day2	Day3	Day14
L-OHP(85mg/m <sup>2</sup> )	●			
ℓ-LV(200mg/m <sup>2</sup> )	●			
CPT-11(165mg/m <sup>2</sup> )	●			
5-FU(3200mg/m <sup>2</sup> )	●(46時間持続投与)			

FOLFIRI±RAM	1クール			
	Day1	Day2	Day3	Day14
Ram(8mg/kg)	●			
CPT-11(150mg/m <sup>2</sup> )	●			
ℓ-LV(200mg/m <sup>2</sup> )	●			
5-FU(400mg/m <sup>2</sup> )	●			
5-FU(2400mg/m <sup>2</sup> )	●(46時間持続投与)			

mFOLFIRI±アフリヘルセプト	1クール			
	Day1	Day2	Day3	Day14
アフリヘルセプト(4mg/kg)	●			
CPT-11(150mg/m <sup>2</sup> )	●			
ℓ-LV(200mg/m <sup>2</sup> )	●			
5-FU(400mg/m <sup>2</sup> )	●			
5-FU(2400mg/m <sup>2</sup> )	●(46時間持続投与)			

IRI±Cmab	1クール		
	Day1	Day8	Day14
Cmab 初回400mg/m <sup>2</sup> 2回目以降250mg/m <sup>2</sup>	●	●	
CPT-11(150mg/m <sup>2</sup> )	●		

IRI±Pmab	1クール	
	Day1	Day14
Pmab(6mg/kg)	●	
CPT-11(150mg/m <sup>2</sup> )		

IRIS	1クール		
	Day1	Day15	Day28
IRI(125mg/m <sup>2</sup> )	●	●	
S-1 (体表面積) 1.25m <sup>2</sup> 未満 1.25m <sup>2</sup> 以上～1.5m <sup>2</sup> 未満 1.5m <sup>2</sup> 以上	1日2回朝夕食後 Day1～Day14 : 40mg/回 : 50mg/回 : 60mg/回		

mFOLFOXIRI±BV	1クール			
	Day1	Day2	Day3	Day14
BV(5mg/kg)	●			
L-OHP(85mg/m <sup>2</sup> )	●			
ℓ-LV(200mg/m <sup>2</sup> )	●			
CPT-11(165mg/m <sup>2</sup> )	●			
5-FU(2400mg/m <sup>2</sup> )	●(46時間持続投与)			

Capecitabine±Bev	1クール	
	Day1	Day21
Bev(7.5mg/kg)	●	
Capecitabine (体表面積) 1.36m <sup>2</sup> 未満 1.36m <sup>2</sup> 以上～1.66 m <sup>2</sup> 未満 1.66m <sup>2</sup> 以上～1.96m <sup>2</sup> 未満 1.96m <sup>2</sup> 以上	1日2回朝夕食後 Day1～Day14 : 1200mg/回 : 1500mg/回 : 1800mg/回 : 2100mg/回	

sLV5FU2±Bev	1クール			
	Day1	Day2	Day3	Day14
Bev(5mg/kg)	●			
ℓ-LV(200mg/m <sup>2</sup> )	●			
5-FU(400mg/m <sup>2</sup> )	●			
5-FU(2400mg/m <sup>2</sup> )	●(46時間持続投与)			

Nivo	1クール	
	Day1	Day14
Nivo(240mg/body)	●	
容認性ある場合		
	Day1	Day28
Nivo(480mg/body)	●	